

Welcome

jinkko Packing have long been established as a leading supplier of protective packaging products to customers throughout the world.

We specialize in Stretch Film, Adhesive tape and pp strapping for nearly 20 years. Yalan Packing started on the promise to bring our valuable customers quality packaging at competitive pricing with service always being paramount. Those simple standards launched a company that is always striving to bring our customers the best options to their packaging inquire and needs. We operate a corporate Quality Management System that is certified to ISO 9001:2008 by SGS.



Contents

Stretch Film

Introduce.....	1
Machine Pallet Stretch Film.....	2
Hand held stretch film.....	4
Extended core stretch film.....	6
Color Tinted Stretch Film.....	7
Bundling Stretch Film.....	8
Jumbo Stretch Film.....	9
Pre-Stretch Film.....	10

Appendix

Appendix.....	11
---------------	----

Worldwide Sale Network



How to order

Telephone:

We are pleased to accept orders by telephone at our call center:

0086 186 8866 5592

Email:

You can email requirements to your sales representative:

sales@jinkko.com

Stretch Film

In pallet unitizing, stretch film can have several functions:

- Improved stability of products or packages, forming a unit load
- More efficient handling and storage of unit loads
- Some degree of dust and moisture protection
- Some degree of tamper resistance and resistance to package pilferage

Making sure cartons stay on the pallet is an important consideration in warehouse distribution, especially as the demands for increased throughput continues to rise. Stretch wrapping is the most cost-effective way to keep loads secured, on a pallet.

How we produce our quality stretch film?

Our Stretch film is manufactured on fully automated, cutting-edge production lines. The three-layer film is produced using the CAST and extrusion technology. The basic material for production of stretch film is a low density polyethylene (LLDPE). Modern production lines and state-of-the-art technology as well as the use of materials from recognized manufacturers contribute to the very high quality of the film produced by Yalan packing.



Why us?

- We specialize in this industry for 20 years
- We have 3 CAST line, over 26 Tons daily output
- Quality guaranteed, raw material supplied by Exxon Mobil
- Metallocene added, with nearly 400% ELONGRATION
- RATE Offers a wide range of films



■ Machine Pallet Stretch Film

Machine Pallet Stretch Film is prime use is for Semi Automated and Fully Automated Stretch Machines with high pre-stretch capability, it is recommended for rotating arm, rotary ring and turntable machines which apply a high degree of stretch or for loads with awkward dimensions. It is particularly recommended for irregular loads with sharp edges.



Why select CAST technology Machine Pallet Stretch Film?

- Exceptionally clear for easy product identification
- Excellent cling
- Excellent Gauge Control
- Puncture-resistant
- Smooth, quiet release off the roll
- The best choice for machine applications

Available in an
extensive range
of stock or
custom size

SPECIFICATIONS:


Product Description	Thickness (µm)	Length (m)	Width (mm)	Film Color	Core Dimension	Core Weight	Pack Qty
Machine Pallet Stretch Film	20-35	1,000-2500	250-1,500	Clear/Colored	3"	1KG	1 Roll

** Special Size can be made accordingly to clients' requirement and specification.*

Our machine pallet stretch film with higher tensile strength and puncture resistance, it offers you a "work horse" for most machine film applications. Proven performance and consistency makes Stretch Max a clear choice in the industry.

- Excellent stretch capabilities – up to 400%
- 3 to 5-layer premium machine film
- Enhanced puncture resistance, Great cling and clarity

Packing Solution Expertise



How to select machine film?

Type of Product

Stretch film type is dependent on what you are wrapping. Lighter, more fragile goods require a lower gauge of film to avoid being crushed than do heavier, more solid goods that can withstand the pressure of higher gauges.

Type of load

There are two factors that determine load type – the weight of the load and the uniformity of its outside surface. Examples of different load types are shown below:



Regular loads:
Have no irregularities
Require lower gauge of film.



Irregular loads
Have protrusions up to 100mm
Require middle gauge of film.



Protrusions loads
Have protrusions over 100mm
Require higher gauge of film

Type of equipment

Machine stretch levels will help determine what type of film is necessary to wrap a load. Whereas higher gauges were once required for machines with high pre stretch levels, today we are supply thinner, tougher films which are able to endure greater levels of stretch while maintaining their strength.

Hot sale specifications

Machine Pallet Stretch Film									
Product Code	Film Thickness	Size mm x m	Film Color	Core Diameter	Core Weight	Pack Qty	Unit Net Weight	Qty/20FT	
YL1102011	20µm	500 x 1,000	Clear	3"	1KG	1 ROLL	9.25KG	1000	
YL1102012	20µm	500 x 1,200	Clear	3"	1KG	1 ROLL	11.10KG	640	
YL1102013	20µm	500 x 1,500	Clear	3"	1KG	1 ROLL	13.87KG	640	
YL1102314	23µm	500 x 1,000	Clear	3"	1KG	1 ROLL	10.64KG	640	
YL1102315	23µm	500 x 1,200	Clear	3"	1KG	1 ROLL	12.76KG	640	
YL1102316	23µm	500 x 1,500	Clear	3"	1KG	1 ROLL	15.96KG	640	
YL1102317	25µm	500 x 1,000	Clear	3"	1KG	1 ROLL	11.56KG	640	
YL1102318	25µm	500 x 1,200	Clear	3"	1KG	1 ROLL	13.87KG	640	
YL1102319	25µm	500 x 1,500	Clear	3"	1KG	1 ROLL	17.34KG	640	

* Source: Department of Marketing, 2016 Marketing Research and Analysis



Hand held stretch film for all your applications

Hand held Stretch Films geared to handle the most demanding wrapping applications. The film sticks to itself after it has been applied to the load. When you need to wrap something on the spot or you do not have a wrapping machine then hand grade is the answer.

■ Hand held stretch film

- Faster wrapping
- Roll is light-weight and portable
- Light weight rolls make it easy to use in tight spaces and low places
- Available wound on standard or extended cores.
- Can Be Used With Manual Dispenser

SPECIFICATIONS:

Product Description	Thickness (µm)	Length (m)	Width (mm)	Film Color	Core Dimension	Core Weight	Pack Qty
Hand held stretch film	12-35	200-500	250-1,500	Clear/Colored	2"/3"	0.3KG	4/6 Rls

** Special Size can be made accordingly to clients' requirement and specification.*

Our film is available from 10mic to 45mic high stretch and puncture resistance resins, ensuring improved yield delivering the lowest cost to wrap a pallet possible from a conventional film product. It is capable of up to 120% elongation with lowest possible necking down in stretch. Available in Standard Core and Extended Core format.

- 100% virgin raw material
- Available in 2 inch or 3 inch paper core
- high point resistance on sharp corners



Hand Roll for Manual Used

LLDPE Film CAST Technology in Layers 3

Exxon Mobil LLDPE Raw Material Superior Stretching Quality

Superior Puncture Resistance Tougher Around Irregular Corners





Holds Shipment Together Can Be Used With Manual Dispenser Softness & Flexibility with Cling Grip to Packages



Excellent Appearance

Hot sale specifications

Hand Held Stretch Film

Product Code	Film Thickness	Size mm x m	Film Color	Core Diameter	Core Weight	Pack Qty	Unit Net Weight	Qty/20FT
YL1202011	17µm	300 x 250	Clear	2"	0.3KG	6 ROLL	1.17 KG	8010 Rls
YL1202012	17µm	300 x 350	Clear	2"	0.3KG	6 ROLL	1.65 KG	6720 Rls
YL1202013	17µm	300 x 450	Clear	2"	0.3KG	6 ROLL	2.12 KG	5610 Rls
YL1202014	17µm	500 x 250	Clear	2"	0.3KG	6 ROLL	1.96 KG	4940 Rls
YL1202015	17µm	500 x 350	Clear	2"	0.3KG	6 ROLL	2.75 KG	4100 Rls
YL1202016	17µm	500 x 450	Clear	2"	0.3KG	6 ROLL	3.54 KG	3500 Rls
YL1202017	20µm	400 x 250	Clear	3"	0.3KG	6 ROLL	1.85 KG	4310 Rls
YL1202018	20µm	400 x 350	Clear	3"	0.3KG	6 ROLL	2.59 KG	3730 Rls
YL1202019	20µm	400 x 450	Clear	3"	0.3KG	6 ROLL	3.33 KG	3230 Rls
YL1202020	20µm	500 x 250	Clear	3"	0.3KG	6 ROLL	2.31 KG	3500 Rls
YL1202021	20µm	500 x 350	Clear	3"	0.3KG	6 ROLL	3.23 KG	3000 Rls
YL1202022	20µm	500 x 450	Clear	3"	0.3KG	6 ROLL	4.16 KG	2630 Rls
YL1202023	23µm	400 x 250	Clear	3"	0.3KG	6 ROLL	2.13 KG	4100 Rls
YL1202024	23µm	400 x 350	Clear	3"	0.3KG	6 ROLL	2.98 KG	3430 Rls
YL1202025	23µm	400 x 450	Clear	3"	0.3KG	6 ROLL	3.83 KG	2950 Rls
YL1202026	23µm	450 x 250	Clear	3"	0.3KG	6 ROLL	2.39 KG	3650 Rls
YL1202027	23µm	450 x 350	Clear	3"	0.3KG	6 ROLL	3.35 KG	3050 Rls
YL1202028	23µm	450 x 450	Clear	3"	0.3KG	6 ROLL	4.30 KG	2670 Rls
YL1202029	23µm	500 x 250	Clear	3"	0.3KG	6 ROLL	2.66 KG	3295 Rls
YL1202030	23µm	500 x 350	Clear	3"	0.3KG	6 ROLL	3.72 KG	2800 Rls
YL1202031	23µm	500 x 450	Clear	3"	0.3KG	6 ROLL	4.79 KG	2400 Rls

* Source: Department of Marketing, 2016 Marketing Research and Analysis

Quality assurance is an integrated process, not an afterthought;
Our policy is "Never allow for mediocrity".

Extended core stretch film

- Extended core acts as built-in handle Ideal for use on-the-go
- Faster wrapping
- No dispensers required
- Light weight rolls make it easy to use in tight spaces and low places

SPECIFICATIONS:								
Product Description	Thickness (µm)	Length (m)	Width (mm)	Film Color	Core Dimension	Core Length	Core Weight	Pack Qty
Extended Core Stretch Film	12-35	200-400	250-400	Clear/Colored	2"/3"	Max 550mm	0.3KG	4/6 Roll

* Special Size can be made accordingly to clients' requirement and specification.

Hot sale specifications

Extended Core Stretch Film									
Product Code	Film Thickness	Size mm x m	Film Color	Core Diameter	Core Length	Core Weight	Pack Qty	Unit Net Weight	Qty/20FT
YL1302011	17µm	400 x 250	Clear	2"	550mm	0.3KG	6 ROLL	1.96 KG	4540 Rls
YL1302012	20µm	400 x 350	Clear	2"	550mm	0.3KG	6 ROLL	2.59 KG	3360 Rls
YL1302013	23µm	400 x 350	Clear	2"	550mm	0.3KG	6 ROLL	2.98KG	3110 Rls
YL1302014	17µm	400 x 350	Clear	2"	550mm	0.3KG	6 ROLL	2.20 KG	3730 Rls
YL1302015	20µm	400 x 450	Clear	2"	550mm	0.3KG	6 ROLL	3.33 KG	2850 Rls
YL1302016	23µm	400 x 250	Clear	2"	550mm	0.3KG	6 ROLL	2.98 KG	3820 Rls

* Source: Department of Marketing, 2016 Marketing Research and Analysis



Faster Wrapping
Easy To Use



Available in A wide Range of Colors

Ideal for Identifying Pallet Contents



Keeps the Pallet Contents covered and Away From Prying Eyes



■ Color Tinted Stretch Film

Colored films are ideal for identifying pallet contents and providing additional security. We also offer security stretch film that is opaque black and will stop your goods from being identified once they are on your pallet, should they be valuable or sensitive. Also suitable for differentiating between different loads

- Keeps the pallet contents covered and away from prying eyes
- A wide range of colors is available
- Quickly identifies pallets

SPECIFICATIONS:

Product Description	Thickness (µm)	Length (m)	Width (mm)	Film Color	Core Dimension	Core Weight	Pack Qty
Colored Tinted Stretch Film	20-35	200-400	250-1,500	Colored	2"/3"	0.3KG	4/6 Roll

* Special Size can be made accordingly to clients' requirement and specification.

Hot sale specifications

Colored Tinted Stretch Film

Product Code	Film Thickness	Size mm x m	Film Color	Core Diameter	Core Weight	Pack Qty	Unit Weight	Qty/ 20FT
YL1402011	20µm	500 x 250	BLUE	3"	0.3KG	6 ROLL	2.31 KG	3500 Rls
YL1402012	20µm	500 x 350	BLACK	3"	0.3KG	6 ROLL	3.24 KG	3000 Rls
YL1402013	20µm	500 x 450	BLACK	3"	0.3KG	6 ROLL	4.16 KG	2630 Rls
YL1402014	23µm	500 x 250	BLUE	3"	0.3KG	6 ROLL	2.66 KG	3295 Rls
YL1402015	23µm	500 x 350	BLUE	3"	0.3KG	6 ROLL	3.72 KG	2800 Rls
YL1402016	23µm	500 x 450	BLACK	3"	0.3KG	6 ROLL	4.78 KG	2400 Rls

* Source: Department of Marketing, 2016 Marketing Research and Analysis

Packing Solution Expertise

■ Bundling Stretch Film

Bundling Stretch Film is Baby roll Stretch Film, which is the ideal film if you are looking to down-gauge an application or desire very high pre-stretch. This film is a high-performance, cast co-extruded film made from high technology resins. The enhanced strength and stretch characteristics mean mini mum film usage while providing maximum load-holding on less demanding loads.

- Handy in almost every place home or workplace
- No adhesives like or sharp edges like tape or strapping.
- Small rolls big solutions
- Protects from insects, dust, moisture and fungus



Bundling Stretch Film

Product Code	Film Thickness	Film Color	Core Dimension	Size mm x m	Pack Qty
YL1502011	20µm	Clear	1½"	50 x 250	12 ROLL
YL1502012	23µm	Clear	1½"	76 x 350	12 ROLL
YL1502013	20µm	Clear	1½"	127 x 450	12 ROLL
YL1502014	23µm	COLORED	1½"	127 x 450	12 ROLL
YL1502015	20µm	BLUE	1½"	127 x 450	12 ROLL

* Special Size can be made accordingly to customers' requirement



Holds **Anything,**
Any shape,
Anywhere

■ Jumbo Stretch Film

The jumbo stretch film is a high-quality multi-ply film made in the CAST technology. It is used for packaging customizing, Used for further processing into manual or automatic film.

- Semi-finished product
- Reliable and quiet
- Can be processed into Hand or machine rolls
- Super Stretching Quality
- Superior puncture resistance
- Good economics in a single film structure



Jumbo Stretch Film

Product Code	Film Thickness	Film Color	Core Dimension	Width (mm)	Length (m)	Pack Qty	Unit Weight	Qty/40FT
YL1602011	12μm - 40μm	Clear/Colored	3"	450 - 500	3,000 - 4,500	1 ROLL	36KG	720

* Special Size can be made accordingly to customers' requirement

Our Commitment

- Our film is constantly checked for thickness accuracy, edge alignment and film clarity.
- Finished rolls are checked for the correct film weight.
- If any of our finished rolls does not meet our quality control criteria, we don't ship them. These procedures ensure that the recommended and sampled film will perform time after time.

■ Pre-Stretch Film

Pre-stretched film is film that is stretched before wrapping a load. It may be used by all those, who are currently using standard stretch films. In case of the PRE-STRETCH FILM, less film is required to wrap a pallet than in case of any standard products. It has excellent puncture resistance to provide better protection.

- Reduced amount of film used, so film costs are greatly reduced
- Requires less revolutions to wrap a load, saving time, more efficient
- Less packaging film means less waste to clear and dispose
- Pre-stretch films are recyclable
- Pre-stretched film is strong, consistent and stable

SPECIFICATIONS:

Product Description	Thickness (µm)	Length (m)	Width (mm)	Film Color	Core Dimension	Core Weight	Pack Qty
Pre-Stretch Film	20-35	1,000-1,500	250-1,500	Clear/Colored	3"	1KG	1 Roll

* Special Size can be made accordingly to clients' requirement and specification.

Hot sale specifications

Pre-Stretch Film

Product Code	Film Thickness	Size mm x m	Film Color	Core Diameter	Core Weight	Pack Qty	Unit Weight	Qty/20FT
YL1702011	20µm	500 x 1,000	Clear	3"	1KG	1 ROLL	9.25KG	1000
YL1702012	20µm	500 x 1,200	Clear	3"	1KG	1 ROLL	11.10KG	640
YL1702013	20µm	500 x 1,500	Clear	3"	1KG	1 ROLL	13.87KG	640

* Source: Department of Marketing, 2011 Marketing Research and Analysis



Good Film Clarity
Environmentally Friendly
Strong, Consistent and Stable
Reduction in Film Usage

Did you know that jinkko Packing in China...

- ✓ We specialize in adhesive tape and stretch film pp strapping for over 20 years.
- ✓ USD 35 MILLION turnovers last year
- ✓ We are one of the biggest stretch film manufacturers in China, with 3 Multi layers high speed cast LLDPE stretch film production line.
- ✓ We are an ISO 9001:2008 approved company.



- ✓ We have a strict environmental policy. We use the most advanced technologies to recycle residues as well as to control all the environmental impacts.

Great Products
Great People
Great Value

About us

Founded more than 20 years ago, located in Dongguan City, our company mainly concentrates in the business of high quality packing materials.

We manufacture a wide range of Stretch Film, Adhesive Tape, pp strapping for industrial use. We specialize in Cast process technology. Advanced technological levels, young management continuously up-dated, competitive prices, efficient network supply and after-sales support, make Yalan stronger.

The foreign market supply network, supported by the presence of Yalan's distribution points in the most important countries, reaches the top efficiency level. At present Yalan exports worldwide, no less than 50% of its total production.



Main Markets:

- North America
- South America
- Eastern Europe
- Africa
- Oceania
- Mid East
- Western Europe